

Author Correction: In vivo measurement of an Apelin gradient with a genetically encoded APLNR conformation biosensor

Correction to: *Nature Communications*
<https://doi.org/10.1038/s41467-025-61781-3>,
 published online 21 July 2025


<https://doi.org/10.1038/s41467-025-62537-9>

Published online: 04 August 2025

 Check for updates


Lukas Herdt , Hannes Schihada, Michael Kurz , Sebastian Ernst,
 Jean Eberlein , Peter Kolb , Cornelius Krasel , Moritz Bünemann  &
 Christian S. M. Helker 

In this article, a panel in Figure 4b was inadvertently duplicated.
 Original figure 4:



Corrections & amendments

Corrected figure 4:



The original article has been corrected.

Corrections & amendments

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2025, corrected publication 2025