

Direct Write Protein Patterns for Multiplexed Cytokine Detection from Live Cells Using Electron Beam Lithography

Uland Y. Lau,[†] Sina S. Saxer,^{‡,§} Juneyoung Lee,[‡] Erhan Bat,^{‡,⊥} and Heather D. Maynard^{*,†,‡}


[†]Department of Bioengineering, University of California, Los Angeles, 410 Westwood Plaza, Los Angeles, California 90095, United States

[‡]Department of Chemistry and Biochemistry and the California NanoSystems Institute, University of California, Los Angeles, 607 Charles E. Young Drive East, Los Angeles, California 90095, United States

S Supporting Information

ABSTRACT: Simultaneous detection of multiple biomarkers, such as extracellular signaling molecules, is a critical aspect in disease profiling and diagnostics. Precise positioning of antibodies on surfaces, especially at the micro- and nanoscale, is important for the improvement of assays, biosensors, and diagnostics on the molecular level, and therefore, the pursuit of device miniaturization for parallel, fast, low-volume assays is a continuing challenge. Here, we describe a multiplexed cytokine immunoassay utilizing electron beam lithography and a trehalose glycopolymer as a resist for the direct writing of antibodies on silicon substrates, allowing for micro- and nanoscale precision of protein immobilization. Specifically, anti-interleukin 6 (IL-6) and antitumor necrosis factor alpha (TNF α) antibodies were directly patterned. Retention of the specific binding properties of the patterned antibodies was shown by the capture of secreted cytokines from stimulated RAW 264.7 macrophages. A sandwich immunoassay was employed using gold nanoparticles and enhancement with silver for the detection and visualization of bound cytokines to the patterns by localized surface plasmon resonance detected with dark-field microscopy. Multiplexing with both IL-6 and TNF α on a single chip was also successfully demonstrated with high specificity and in relevant cell culture conditions and at different times after cell stimulation. The direct fabrication of capture antibody patterns for cytokine detection described here could be useful for biosensing applications.

KEYWORDS: electron beam lithography, antibody patterning, trehalose glycopolymer, biosensor, localized surface plasmon resonance, dark-field microscopy



Extracellular signaling molecules are secreted by cells in response to a variety of factors, including temperature, addition of drugs, chemicals, and other changes in the surrounding environment. Therefore, knowing what types of molecules and the amounts secreted would provide important insight and information on the functional state of the cell. For example, interleukin-6 (IL-6) and tumor necrosis factor alpha (TNF α) are common cell-signaling proteins (cytokines) that influence many aspects of the immune and inflammatory response. These molecules are also important biomarkers; elevated IL-6 or TNF α serum levels are associated with various diseases, such as rheumatoid arthritis and prostate cancer.^{1,2} Thus, detection of these molecules secreted from cells is an important undertaking.

Currently available and commonly used methods for cytokine detection include intracellular cytokine cytometry

(ICC) and enzyme-linked immunospot (ELISPOT) assays.³ ICC involves inhibiting stimulated cells from secreting cytokines and then allowing labeled anticytokine antibodies to permeate into the cells. This is coupled with flow cytometry analysis. In the ELISPOT assay, cells are plated directly into wells coated with anticytokine antibodies, and the released cytokines are visualized by an enzyme-labeled detection antibody. An important contribution toward improving biosensor technology aims to miniaturize sample volumes and for inline detection from live cells, where micro- and nanofabrication approaches become highly desired. The resulting benefits for miniaturization are better sensitivities

Received: September 14, 2015

Accepted: December 17, 2015

and high-throughput analyses. Examples of developing technologies for the detection of secreted cytokines from living cells include a microfluidics platform for immobilizing antibodies,^{4,5} photolithography to fabricate gold electrodes for modification with aptamers,⁶ and nanoimprint lithography to generate structures for cytokine biosensing.⁷

There are a variety of patterning techniques that have been used for biomolecule immobilization with micro- and nanoscale features.^{8–10} Common techniques include inkjet printing,¹¹ stamping techniques such as microcontact printing^{12,13} and nanoimprint lithography,^{14,15} scanning probe microscopy techniques such as dip-pen nanolithography (DPN),^{16,17} polymer pen lithography (PPL),¹⁸ and electron beam lithography (EBL).^{19–21} Expectedly, each technique has advantages and limitations. Stamping techniques allow for the rapid generation of patterns but require template fabrication, and preparing dense patterns with different biomolecules can be difficult. DPN and PPL enable direct write methods with nanoscale spacing between features but are limited in that most often they are serial processes. EBL is also a serial process and suffers from significantly longer exposure times; however, it allows for the generation of user-designed patterns with high resolution and nanoscale alignment capability, allowing for multiplexing and high density patterns.²²

Direct writing of proteins by EBL presents a challenge due to the nature of the harsh processing conditions. EBL requires high vacuum and involves high-energy irradiation with electrons for patterning, which are not ideal for maintaining protein bioactivity. Recently, we have reported that polymers with trehalose side chains (PolyProtek) are able to stabilize various proteins against environmental stresses such as heat and lyophilization.^{23–25} We have also shown the utilization of PolyProtek as a novel aqueous-based resist material that enables the direct writing of proteins by EBL.²⁶ PolyProtek was shown to stabilize proteins under high vacuum and direct exposure to high energy irradiation. Another material, silk, was also used as a positive or negative resist for protein patterning with EBL as shown by Kim *et al.*²⁷ Herein, we demonstrate the ability to use PolyProtek for direct write EBL of IL-6 or TNF α antibodies for capture of these important biomolecules secreted from stimulated macrophages. The patterns were visualized *via* dark-field microscopy, exploiting the surface plasmon resonance of silver-enhanced gold nanoparticle secondary antibodies.

RESULTS AND DISCUSSION

The amount of nonspecific adsorption is an important consideration for any biosensor application because background adsorption increases noise and decreases signal, thus reducing sensitivity.²⁸ Therefore, surfaces were first passivated to prevent nonspecific adsorption and ensure specific recognition. This was achieved by the single-step surface modification of grafting poly(ethylene glycol) (PEG)-silane onto silicon surfaces. This passivation strategy allows for ultrathin and stable protein-repellent PEG monolayers.²⁹ The surface immunoassay described in this report employed gold nanoparticle-labeled analytes for detection. Gold nanoparticles generate a localized surface plasmon resonance signal that can be simply visualized using a dark-field optical microscope. Reducing the nonspecific adsorption of gold nanoparticles and primary antibodies helps eliminate background noise and thus improve signal and sensitivity. The amount of nonspecifically adsorbed neutravidin-conjugated gold nanoparticles was evaluated for plain silicon substrates or silicon coated with

PEG-silane of different molecular weights (Figure 1). All surfaces were incubated with 30 nm neutravidin-conjugated




Figure 1. Nonspecific adsorption of neutravidin-conjugated 30 nm gold nanoparticles to treated silicon substrates: (a) bare silicon, (b) PEG 400-silane, (c) PEG 2000-silane, and (d) PEG 5000-silane.

gold nanoparticle solutions for 18 h. Compared to the piranha-cleaned silicon substrates (Figure 1a), the PEG 400 coating also had considerable fouling (Figure 1b) while PEG 2000 showed a slight reduction in protein adsorption (Figure 1c). A PEG-silane of molecular weight 5 kDa was required to significantly reduce nonspecific adsorption to barely detectable levels (Figure 1d). Specifically, a 95% reduction in protein adsorption was observed compared to the bare silicon substrate. Therefore, the 5 kDa PEG-silane coating was utilized in all subsequent experiments.

The process of fabricating antibody patterns by direct electron beam lithography is depicted in Figure 2. PEG-silane-coated silicon substrates were spin-coated with an aqueous solution containing the antibody, 0.5 wt %/vol PolyProtek, and 1 mM ascorbic acid. The resulting thickness for PEG-silane was 26.8 ± 1.1 Å, and the spin-coated antibody layer was 205.3 ± 1.9 Å, as measured by ellipsometry. When irradiated by electrons, the trehalose polymer cross-links to the PEG-coated silicon substrate likely by a mechanism similarly observed for other polymers.^{30,31} The cross-linking results in a trehalose-based hydrogel, which helps to stabilize and immobilize the protein. Ascorbic acid is a known radical scavenger³² and therefore can help protect proteins from e-beam radiation damage.²⁶ We verified this in our system by patterning without or with 1 and 2 mM ascorbic acid, finding that 1 mM ascorbic acid provided the highest signal by dark-field microscopy (Figure S1). Thus, 1 mM ascorbic acid was added to the resist/protein solutions hereafter. For multiplexed antibody patterns, the chips were fabricated by resubjecting the substrate to another round of e-beam processing of spin-coating with a different antibody, aligning, and writing steps.

The direct e-beam writing and assay of antibodies was first evaluated using human immunoglobulin G (IgG) to optimize various parameters and components of the immunoassay system. Silicon wafers were spin-coated with a solution containing 0.5 wt %/vol PolyProtek, 1 mM ascorbic acid, and 1 mg/mL human IgG. The human IgG-coated surfaces was patterned in an “A1/Circle” shape (Figure 3c) with an area dose of $25 \mu\text{C}/\text{cm}^2$, and after being processed, the chips were sequentially incubated with biotinylated anti-human IgG and neutravidin-conjugated 30 nm gold nanoparticles, followed by




Figure 2. Direct electron beam patterning process for generating antibody patterns. An aqueous solution containing PolyProtek, ascorbic acid, and target antibody is spin-coated on a PEG-silane-coated substrate and subsequently patterned by electron beam lithography. Non-cross-linked areas are washed away. Multicomponent antibody patterns can be generated by spin-coating a new layer with a different antibody, alignment and subsequent e-beam patterning, and rinsing.




Figure 3. Dark-field micrographs for the sandwich assay of human IgG patterns. IgG patterns were incubated with biotin anti-human IgG, neutravidin-conjugated gold nanoparticles, and silver enhanced gold nanoparticles. Patterns are shown (a) before gold nanoparticle incubation, (b) after gold nanoparticle incubation, and (c) after silver enhancement. Scale bars = 35 μm .

silver enhancement. Dark-field microscopy images were taken from a reference pattern without neutravidin-conjugated gold nanoparticles (Figure 3a), with bound gold nanoparticles (Figure 3b) and the silver-enhanced gold nanoparticles pattern (Figure 3c). The localized surface plasmon resonance (LSPR) signal was observed for the gold nanoparticle sample; however, silver enhancement greatly increased signal and thus sensitivity, and this process was utilized for all further studies.

Cytokines IL-6 and TNF α were chosen for multiplexed detection by the surface immunoassay because these secreted cell-signaling molecules are commonly associated with macrophage activation. Cultured macrophages readily secrete the signaling proteins to regulate the immune response upon stimulation. RAW 264.7 mouse macrophages were stimulated with lipopolysaccharide (LPS), a component of the outer membrane in Gram-negative bacteria, to secrete IL-6, TNF α , and many other cytokines into the cell culture media. An enzyme-linked immunosorbent assay (ELISA) was performed to detect the presence of IL-6 and TNF α in media (Figure 4). Importantly, the results show that there are undetectable levels




Figure 4. ELISA detection of IL-6 and TNF α from LPS-stimulated RAW 264.7 macrophages (5×10^5 cells). IL-6 x TNF α represents anti-IL-6 capture antibody and biotinylated anti-TNF α antibody, and TNF α x IL-6 represents anti-TNF α capture antibody and biotinylated anti-IL-6 antibody. Media represents the amount of detected cytokines from unstimulated macrophages.

of cytokines from unstimulated macrophages, and that the secondary antibodies have high specificity for the target antibody and no cross-reactivity. These properties are necessary for translating the components toward a multiplex surface immunoassay system.

Electron beam lithography was first used for direct writing of anti-IL-6 and anti-TNF α antibody patterns on separately patterned chips. The antibody patterns were sequentially incubated with undiluted cell culture media from RAW 264.7 macrophages that were stimulated with LPS for 24 h. Then, either biotinylated anti-IL-6 or biotinylated anti-TNF α was added, followed by 30 nm neutravidin-conjugated gold nanoparticles and the silver enhancement step. The signal depended on the concentration of antibody used during spin-coating. The concentration of antibody tested ranged from 1 to 5 μM , with 5 μM resulting in the highest observed signal (Figure S2). Not surprisingly, with increased antibody concentrations, there was an increase in signal, which is likely related to a higher density of bioactive antibodies following electron beam processing. Both TNF α and IL-6 capture was observed by dark-field microscopy with silver-enhanced gold nanoparticles bound to micro-sized patterns of defined texts and shapes (Figure 5a,b). The gold nanoparticles were visualized on submicron patterns with scanning electron microscopy, where the gold antibodies were observed as dots on 500×500 nm-sized squares (Figure 5c). Furthermore, nanopatterns were fabricated. Anti-TNF α nanopatterns with line widths of 150–180 nm were observed by atomic force microscopy (AFM, Figure 5e,f). The line patterns were fabricated in concentric shapes that were visualized by dark-field microscopy as squares and circles (Figure 5d),




Figure 5. Cytokine detection with a bound silver-enhanced gold nanoparticle immunoassay on surface immobilized micro- and nanopatterns. Two cytokines, (a) TNF α and (b) IL-6, were detected from cell media of LPS-stimulated Raw 264.7 macrophages, scale bars = 35 μ m. (c) Electron micrograph of anti-TNF α submicron patterns, scale bar = 1 μ m. Anti-TNF α nanopatterns showing (d) dark-field micrograph cytokine detection immunoassay of circles and squares with nanometer line widths, scale bar = 20 μ m. (e) AFM of one of the circle patterns with 150 nm line widths, and (f) AFM of one of the square patterns with 180 nm line widths indicated by the arrows.

demonstrating that nanopatterns of active anti-TNF α were achieved. These results confirm that the immunoassay following the direct write of antibodies by EBL can be used for the detection of cytokines in complex cell culture media. Furthermore, these patterns of shapes, letters, and numbers demonstrate the capability to generate arbitrary patterns with high resolution.

Sensitivity to cytokine concentrations and detection limit are both important considerations for immunoassays. The levels of TNF α and IL-6 in LPS-stimulated macrophage culture media were quantified by ELISA and used as a benchmark. From 5×10^5 cultured macrophages, the amount of TNF α and IL-6 detected was 43 and 53 ng/mL, respectively. Patterns of anti-TNF α and anti-IL-6 were incubated in varying dilutions ranging from 200 ng/mL to 0 of TNF α or IL-6 from cell media of stimulated macrophages and further developed. Figure 6 and Figure S3 show the sensitivity of the immunoassay to TNF α and IL-6, respectively. Signals were strongly observed at TNF α and IL-6 of 200 and 40 ng/mL concentrations, while detection was visible above 5 pg/mL for TNF α and 50 pg/mL for IL-6. This is comparable to the detection limit of ELISA, which from the manufacturer's kit (eBioscience) has a standard curve range of 4–500 pg/mL.




Figure 6. Detection sensitivity of anti-TNF α patterns to varying concentrations of TNF α in media: (a) 200 ng/mL, (b) 40 ng/mL, (c) 500 pg/mL, (d) 50 pg/mL, (e) 5 pg/mL, and (f) 0. Scale bars = 20 μ m.

Multiplexed antibody patterns to detect both IL-6 and TNF α were then investigated. First, anti-TNF α patterns were generated, and the process of spin-coating with anti-TNF α , writing, and rinsing on the same substrate was repeated four times. The signal-to-noise of the patterns was comparable between the four processing and exposure cycles (Figure S4), suggesting that the process is amenable to multiplex patterning. Taking advantage of the alignment capabilities of electron beam lithography, next anti-IL-6 and anti-TNF α patterns of “TNF α ” and “IL-6” were generated in close proximity. Following the direct writing of anti-TNF α , another round of patterning was performed with anti-IL-6 to achieve multicomponent antibody patterns. The detection of both IL-6 and TNF α was observed by visualization of their associated patterns (Figure 7a). The




Figure 7. Dark-field micrographs of multiple antibody patterning and cytokine detection of IL-6 and TNF α . The generated patterns were stained to detect for (a) both IL-6 and TNF α , or selectively for (b) TNF α and (c) IL-6. Scale bars = 35 μ m.

surface immunoassay also demonstrates high specificity toward both cytokines, with slight cross-reactivity against IL-6. The corresponding patterns were visible when stained for only TNF α (Figure 7b) or for only IL-6 (Figure 7c).

Finally, the multiplexed patterns were used to monitor IL-6 and TNF α secretion over time. Multicomponent IL-6 and TNF α patterns were directly incubated with RAW 264.7 macrophages. Upon addition of LPS to the cultured macrophages, the patterned chips (with “TNF α ”/B2square shape for TNF α and “IL-6”/A1circle shape for IL-6) were then removed from cell cultures at various time points over the course of 24 h. Subsequent development of the immunoassay showed an expected increase in LSPR signals and thus developing visualization of the patterns incubated from 2 to 24 h (Figure 8). This steady increase in IL-6 and TNF α secretion over 24 h is in agreement with levels reported in literature.³³




Figure 8. Multiplexed detection of IL-6 and TNF α from stimulated RAW 264.7 macrophages over time. Chips were directly incubated in LPS-stimulated macrophages at time points: (a) 2 h, (b) 12 h, and (c) 24 h. Scale bars = 35 μ m.

The detection of both cytokines, as well as the capability to selectively detect one specific signaling protein from cellular milieu, is essential for a multiplexed immunoassay system. Using a trehalose glycopolymer, the antibodies retained their binding activity even after subjection to repeated electron beam processing conditions, such as vacuum and rinsing cycles, exemplifying the use of PolyProtek as a stabilizing resist. Furthermore, low amounts of nonspecific adsorption were observed on the e-beam-generated patterns. Specifically, the amount of gold nanoparticles bound to the opposing cytokine pattern was greatly reduced (Figure 7b,c). The direct write assay was capable of detection as low as cytokine concentrations of 5 pg/mL and could detect increasing concentrations of the secreted proteins over time from live cells. The combination of all these properties demonstrates that multiplexed patterns can be successfully patterned with this technique, and that the detection of two different cytokines in relevant cell culture conditions on these patterns is possible. Electron beam lithography is a serial process, but there are several new techniques in development. For example, stencil masks or character projection technology allow for generation of complex shapes with one exposure, and multiple electron beams for parallel processes are being investigated.^{34,35} The process we describe herein should also be applicable to these technologies.

CONCLUSIONS

We have successfully demonstrated a cytokine detection method by directly patterning antibodies onto surfaces utilizing PolyProtek and EBL. The patterned IL-6 and TNF α antibodies retained their recognition properties, allowing for binding to the respective cytokines released from LPS-stimulated macrophages. Capture of the cytokines was successfully detected *via* a sandwich immunoassay visualized from LSPR of silver-enhanced gold nanoparticles bound to the patterns. Multiplexed cytokine detection was also shown to specifically visualize IL-6 and TNF α concentrations in relevant cell culture conditions. These results demonstrate the potential of this patterning technique for developing biosensors and diagnostic assays.

MATERIALS AND METHODS

Materials. The 5 kDa mPEG-silane was purchased from Creative PEGWorks. Silicon wafers were purchased from Cemat Silicon S.A. Human IgG and Alexa Fluor 488 donkey anti-human IgG were purchased from Jackson ImmunoResearch. Rat anti-mouse IL-6 and biotinylated rat anti-mouse IL-6 IgGs were purchased from eBioscience. Rabbit anti-mouse TNF α IgG was purchased from Thermo Fisher Scientific, and biotinylated rabbit anti-mouse TNF α IgG was from Invitrogen. Antibodies for patterning were concentrated with Centrprep MWCO 100 kDa prior to use. Mouse IL-6 and mouse TNF α ELISA Ready-SET-Go! reagent sets were purchased from eBioscience. Neutravidin-conjugated 30 nm gold nanoparticles were purchased from Nanopartz. LI silver enhancement kit was purchased from Molecular Probes. Lipopolysaccharides from *Escherichia coli* (O55:B5) were from Sigma-Aldrich. RAW 264.7 murine macrophage cells were kindly provided by Professor Tian Xia from UCLA.

Synthesis of Trehalose Glycopolymer (PolyProtek). The synthesis of a styrenyl ether-based trehalose glycopolymer was modified from a previously reported procedure.²⁴ Styrenyl ether trehalose monomer (375.2 mg, 8.18×10^{-1} mmol) and AIBN (3.13 mg, 1.91×10^{-2} mmol) were dissolved in H₂O (2.73 mL) and DMF (1.36 mL), respectively. Both solutions were added to a reaction flask and subjected to five cycles of freeze–pump–thawing. The polymerization was started by immersing the flask in a 75 °C oil bath. After

8.33 h, the polymerization was stopped, exposing the solution to oxygen and cooling with liquid nitrogen. Residual monomer was removed by dialysis against H₂O (MWCO 3500 g/mol) for 3 days and lyophilized to obtain a white powder, with number-average molecular weight M_n (GPC) = 15.7 kDa and molecular weight dispersity D = 3.25.

PEG-Silane Coating of Si Chips. Silicon substrates were cleaned by immersing into freshly prepared piranha solution (3:1 H₂SO₄/30% H₂O₂) and heated at 70 °C for 15 min. The chips were extensively rinsed with Milli-Q water and dried under a stream of filtered air. The cleaned chips were immediately incubated in a 1 wt %/vol mPEG-silane solution in anhydrous toluene for at least 24 h. The PEG-silane-coated chips were then rinsed with methanol, followed by a large excess of Milli-Q water, and then dried under a stream of air. The substrates were immediately used for subsequent patterning experiments.

Film Thickness Measurements. Film thicknesses from the PEG-silane layer and spin-coated solutions of antibody layers were measured using a Gaertner LSE ellipsometer equipped with a 633 nm HeNe laser fired at a 70° incidence angle. The silicon oxide on the piranha-cleaned silicon wafer was measured and fitted using the refractive index of Palik ($n_1 = 0.54264$, $k_1 = 0.00$) and silicon as substrate ($n_1 = 3.589$, $k_1 = 0.016$). The measurement was repeated on the same sample after PEG-silane coating and spin-coating the protein and PolyProtek solution. The subsequent protein and polymer layer was fitted using values for the previously obtained silicon oxide thickness and an additional Cauchy layer model ($n_1 = 1.45$, $k_1 = 0.01$). A minimum of 15 measurements were performed at three different locations, and the values were then averaged.

Electron Beam Lithography. Silicon substrates were spin-coated using Spin Coater Model ACE-200 (Dong-Ah). Aqueous solutions were spin-coated at 500 rpm for 5 s, ramped to 1000 rpm for 5 s, then ramped to 2000 rpm for 20 s, and finally to 4000 rpm for 10 s. PEG-silane-coated silicon substrates were first spin-coated with Milli-Q H₂O. Then, the substrates were spin-coated with a solution comprising anti-IL-6 or anti-TNF α antibody, 0.5 wt %/vol styrenyl ether-based trehalose glycopolymer, and 1 mM L-ascorbic acid in H₂O. Patterns for electron beam lithography were designed in DesignCAD Express 16 software and were generated using the JC Nabity lithography system (Nanometer Pattern Generation System, Ver. 9.0) modified from a JEOL JSM-6610 scanning electron microscope. An accelerating voltage of 30 kV, a spot size of 34 nm, and a beam current of 15 pA were used (dosage 25 $\mu\text{C}/\text{cm}^2$). Following electron beam irradiation, any non-cross-linked polymer was rinsed away with wash buffer (0.05% Tween 20 in D-PBS). Alignment silicon wafers were fabricated *via* standard photolithography, metal evaporation, and lift-off techniques as previously described.¹⁹ To generate multicomponent antibody patterns, the second antibody was spin-coated onto the same substrate. The chips were aligned by the prefabricated gold features and patterned in close proximity to the first antibody. Non-cross-linked polymer was removed by rinsing with wash buffer.

Atomic Force Microscopy. AFM characterization of patterns was performed on a Bruker Dimension Icon AFM using Peak Force tapping mode with ScanAsyst Air probes. AFM imaging was performed on a scan size of 25 μm with a scan rate of 0.7 Hz and 512 samples per line.

Stimulation of RAW 264.7 Macrophages. RAW 264.7 murine macrophages were cultured in RPMI 1640 medium supplemented with 10% fetal bovine serum (FBS) and 1% penicillin-streptomycin. The cells were seeded in 6-well plates at a density of 5×10^5 cells per well and incubated at 37 °C and 5% CO₂. After 24 h, the culture medium was replaced with 10 $\mu\text{g}/\text{mL}$ lipopolysaccharide in the supplemented RPMI 1640 media. After incubation for 24 h, the cell culture medium was collected and centrifuged at 1500 rpm for 5 min at 4 °C. Aliquots of the supernatant were stored at –80 °C until use.

Surface Immunoassay. Following electron beam lithography, the antibody-patterned surfaces were incubated in cytokine-containing media for 2 h. The chips were then rinsed with wash buffer for 5 min, followed by incubation with biotinylated anti-IL-6 or anti-TNF α (5 $\mu\text{g}/\text{mL}$ in D-PBS), or both, for 2 h. After being rinsed with wash

buffer, neutravidin-conjugated 30 nm gold nanoparticles (1:100 in D-PBS) were allowed to bind to the patterns. The chips were rinsed again, and the gold nanoparticles were silver-enhanced, following the procedure as described by the manufacturer, for 5 min prior to a final rinsing step. The developed substrates and patterns were then imaged under aqueous conditions (D-PBS) using an Olympus BX51 microscope equipped with QImaging Retiga-2000R camera under dark field.

Measurement of Cytokine Detection by ELISA. Anti-IL-6 or anti-TNF α antibodies (2 μ g/mL in D-PBS) were incubated in 96-well plates for 16 h at 23 °C. The plate was washed between each step with wash buffer. The plate was then blocked with 1% BSA in D-PBS for 2 h at 23 °C. Supernatant from RAW 264.7 cell culture media was added to the wells and incubated for 2 h. Biotin anti-IL6 or biotin anti-TNF α conjugate antibodies (0.25 μ g/mL in 1% BSA D-PBS) were added and incubated for 2 h, followed by incubation with streptavidin-HRP (1:200 in 1% BSA D-PBS) for 20 min. The plate was developed with 1-Step Ultra TMB solution (Pierce Biotechnology, Rockford) for 7 min prior to adding 1 M H₂SO₄ as the stop solution. The absorbance signals were measured at 450 nm, and the background at 630 nm was subtracted.

Cytokine Detection Sensitivity and Time Studies. Concentrated solutions of IL-6 and TNF α from LPS-stimulated macrophage cell culture media were quantified using ELISA. Serial dilutions of the cell culture media in D-PBS were prepared with the cytokine concentrations at 200 ng/mL, 50 ng/mL, 500 pg/mL, 50 pg/mL, and 5 pg/mL. The dilutions were used to incubate onto anti-IL-6 and anti-TNF α patterned surfaces. Subsequent processing of the chips with biotinylated antibodies, neutravidin-conjugated gold conjugates, and the silver enhancement steps was performed and imaged under dark field as described above.

For detection of IL-6 and TNF α secretion over time, multi-antibody patterns were first fabricated and stored in D-PBS until use. RAW 264.7 macrophages were seeded in 6-well plates at a density of 5×10^5 cells per well and incubated for 24 h. Then, the culture medium was replaced with 10 μ g/mL LPS in the working media. Prepared chips were incubated in the wells following LPS addition at the time points: 2, 12, 18, and 24 h at 37 °C for 30 min. After being rinsed, the immunoassay was continued as described above.

ASSOCIATED CONTENT

Supporting Information

The Supporting Information is available free of charge on the ACS Publications website at DOI: 10.1021/acsnano.5b05781.

Optimization of anti-TNF α concentration for the immunoassay, effects of ascorbic acid concentration, detection sensitivity of patterned anti-IL-6, multiple processing and exposure cycles of patterned anti-TNF α (PDF)

AUTHOR INFORMATION

Corresponding Author

*E-mail: maynard@chem.ucla.edu.

Present Addresses

[§]Department of Chemistry and Biochemistry, University of Applied Sciences and Arts, Northwestern Switzerland, Muttenz 4132, Switzerland.

[†]Department of Chemical Engineering, Middle East Technical University, Ankara 06800, Turkey.

Notes

The authors declare the following competing financial interest(s): The authors declare that a provisional patent application has been filed on the use of PolyProtek as a resist for EBL.

ACKNOWLEDGMENTS

This work was supported by funds from the Center for Scalable and Integrated NanoManufacturing (SINAM, CMMI-0751621). The authors thank Professor Yu Huang (UCLA) for the use of her optical microscope. U.Y.L. thanks the NIH Chemistry–Biology Interface Training Program for support (T32 GM 008496). J.L. thanks the NIH Biotechnology Training Grant (T32 GM067555) for funding. S.S. thanks the Swiss National Science Foundation for the fellowship (PBEZP2-133211). E.B. thanks The Netherlands Organization for Scientific Research and Marie Curie Cofund Action for the financial support (Rubicon Grant 680-50-1101).

REFERENCES

- (1) Feldmann, M.; Brennan, F. M.; Maini, R. N. Role of Cytokines in Rheumatoid Arthritis. *Annu. Rev. Immunol.* **1996**, *14*, 397–440.
- (2) Michalaki, V.; Syrigos, K.; Charles, P.; Waxman, J. Serum Levels of IL-6 and TNF-alpha Correlate with Clinicopathological Features and Patient Survival in Patients with Prostate Cancer. *Br. J. Cancer* **2004**, *90*, 2312–2316.
- (3) Letsch, A.; Scheibenbogen, C. Quantification and Characterization of Specific T-cells by Antigen-Specific Cytokine Production using ELISPOT Assay or Intracellular Cytokine Staining. *Methods* **2003**, *31*, 143–149.
- (4) Ma, C.; Fan, R.; Ahmad, H.; Shi, Q.; Comin-Anduix, B.; Chodon, T.; Koya, R. C.; Liu, C. C.; Kwong, G. A.; Radu, C. G.; Ribas, A.; Heath, J. R. A Clinical Microchip for Evaluation of Single Immune Cells Reveals High Functional Heterogeneity in Phenotypically Similar T Cells. *Nat. Med.* **2011**, *17*, 738–743.
- (5) Chen, P. Y.; Chung, M. T.; McHugh, W.; Nidetz, R.; Li, Y. W.; Fu, J. P.; Cornell, T. T.; Shanley, T. P.; Kurabayashi, K. Multiplex Serum Cytokine Immunoassay Using Nanoplasmonic Biosensor Microarrays. *ACS Nano* **2015**, *9*, 4173–4181.
- (6) Liu, Y.; Kwa, T.; Revzin, A. Simultaneous Detection of Cell-Secreted TNF-alpha and IFN-gamma using Micropatterned Aptamer-Modified Electrodes. *Biomaterials* **2012**, *33*, 7347–7355.
- (7) Wang, S.; Ota, S.; Guo, B.; Ryu, J.; Rhodes, C.; Xiong, Y.; Kalim, S.; Zeng, L.; Chen, Y.; Teitell, M. A.; Zhang, X. Subcellular Resolution Mapping of Endogenous Cytokine Secretion by Nano-Plasmonic-Resonator Sensor Array. *Nano Lett.* **2011**, *11*, 3431–3434.
- (8) Barbulovic-Nad, I.; Lucente, M.; Sun, Y.; Zhang, M. J.; Wheeler, A. R.; Bussmann, M. Bio-Microarray Fabrication Techniques - A Review. *Crit. Rev. Biotechnol.* **2006**, *26*, 237–259.
- (9) Christman, K. L.; Enriquez-Rios, V. D.; Maynard, H. D. Nanopatterning Proteins and Peptides. *Soft Matter* **2006**, *2*, 928–939.
- (10) Blawas, A. S.; Reichert, W. M. Protein Patterning. *Biomaterials* **1998**, *19*, 595–609.
- (11) Derby, B. Bioprinting: Inkjet Printing Proteins and Hybrid Cell-Containing Materials and Structures. *J. Mater. Chem.* **2008**, *18*, 5717–5721.
- (12) Bernard, A.; Delamarche, E.; Schmid, H.; Michel, B.; Bosshard, H. R.; Biebuyck, H. Printing Patterns of Proteins. *Langmuir* **1998**, *14*, 2225–2229.
- (13) Volcke, C.; Gandhiraman, R. P.; Basabe-Desmonts, L.; Iacono, M.; Gubala, V.; Cecchet, F.; Cafolla, A. A.; Williams, D. E. Protein Pattern Transfer for Biosensor Applications. *Biosens. Bioelectron.* **2010**, *25*, 1295–1300.
- (14) Falconnet, D.; Pasqui, D.; Park, S.; Eckert, R.; Schiff, H.; Gobrecht, J.; Barbucci, R.; Textor, M. A Novel Approach to Produce Protein Nanopatterns by Combining Nanoimprint Lithography and Molecular Self-Assembly. *Nano Lett.* **2004**, *4*, 1909–1914.
- (15) Hoff, J. D.; Cheng, L. J.; Meyhofer, E.; Guo, L. J.; Hunt, A. J. Nanoscale Protein Patterning by Imprint Lithography. *Nano Lett.* **2004**, *4*, 853–857.
- (16) Hyun, J.; Ahn, S. J.; Lee, W. K.; Chilkoti, A.; Zauscher, S. Molecular Recognition-Mediated Fabrication of Protein Nanostructures by Dip-Pen Lithography. *Nano Lett.* **2002**, *2*, 1203–1207.

- (17) Lee, K. B.; Lim, J. H.; Mirkin, C. A. Protein Nanostructures Formed via Direct-Write Dip-Pen Nanolithography. *J. Am. Chem. Soc.* **2003**, *125*, 5588–5589.
- (18) Huo, F.; Zheng, Z.; Zheng, G.; Giam, L. R.; Zhang, H.; Mirkin, C. A. Polymer Pen Lithography. *Science* **2008**, *321*, 1658–1660.
- (19) Christman, K. L.; Schopf, E.; Broyer, R. M.; Li, R. C.; Chen, Y.; Maynard, H. D. Positioning Multiple Proteins at the Nanoscale with Electron Beam Cross-Linked Functional Polymers. *J. Am. Chem. Soc.* **2009**, *131*, 521–527.
- (20) Hong, Y.; Krsko, P.; Libera, M. Protein Surface Patterning using Nanoscale PEG Hydrogels. *Langmuir* **2004**, *20*, 11123–11126.
- (21) Kolodziej, C. M.; Kim, S. H.; Broyer, R. M.; Saxer, S. S.; Decker, C. G.; Maynard, H. D. Combination of Integrin-Binding Peptide and Growth Factor Promotes Cell Adhesion on Electron-Beam-Fabricated Patterns. *J. Am. Chem. Soc.* **2012**, *134*, 247–255.
- (22) Kolodziej, C. M.; Maynard, H. D. Electron-Beam Lithography for Patterning Biomolecules at the Micron and Nanometer Scale. *Chem. Mater.* **2012**, *24*, 774–780.
- (23) Mancini, R. J.; Lee, J.; Maynard, H. D. Trehalose Glycopolymers for Stabilization of Protein Conjugates to Environmental Stressors. *J. Am. Chem. Soc.* **2012**, *134*, 8474–8479.
- (24) Lee, J.; Lin, E. W.; Lau, U. Y.; Hedrick, J. L.; Bat, E.; Maynard, H. D. Trehalose Glycopolymers as Excipients for Protein Stabilization. *Biomacromolecules* **2013**, *14*, 2561–2569.
- (25) Lee, J.; Ko, J. H.; Lin, E. W.; Wallace, P.; Ruch, F.; Maynard, H. D. Trehalose Hydrogels for Stabilization of Enzymes to Heat. *Polym. Chem.* **2015**, *6*, 3443–3448.
- (26) Bat, E.; Lee, J.; Lau, U. Y.; Maynard, H. D. Trehalose Glycopolymer Resists Allow Direct Writing of Protein Patterns by Electron-Beam Lithography. *Nat. Commun.* **2015**, *6*, 6654.
- (27) Kim, S.; Marelli, B.; Brenckle, M. A.; Mitropoulos, A. N.; Gil, E. S.; Tsioris, K.; Tao, H.; Kaplan, D. L.; Omenetto, F. G. All-Water-Based Electron-Beam Lithography using Silk as a Resist. *Nat. Nanotechnol.* **2014**, *9*, 306–310.
- (28) Zhang, M.; Desai, T.; Ferrari, M. Proteins and Cells on PEG Immobilized Silicon Surfaces. *Biomaterials* **1998**, *19*, 953–960.
- (29) Papra, A.; Gadegaard, N.; Larsen, N. B. Characterization of Ultrathin Poly(ethylene glycol) Monolayers on Silicon Substrates. *Langmuir* **2001**, *17*, 1457–1460.
- (30) Zhang, L. H.; Zhang, W. D.; Zhang, Z. C.; Yu, L.; Zhang, H. F.; Qi, Y. C.; Chen, D. G. Radiation Effects on Crystalline Polymers 0.1. Gamma-Radiation-Induced Cross-Linking and Structural Characterization of Polyethylene Oxide. *Radiat. Phys. Chem.* **1992**, *40*, 501–505.
- (31) Dey, R. K.; Cui, B. Effect of Molecular Weight Distribution on E-beam Exposure Properties of Polystyrene. *Nanotechnology* **2013**, *24*, 245302.
- (32) Niki, E. Action of Ascorbic-Acid as a Scavenger of Active and Stable Oxygen Radicals. *Am. J. Clin. Nutr.* **1991**, *54*, S1119–S1124.
- (33) Thorley, A. J.; Ford, P. A.; Gienbycz, M. A.; Goldstraw, P.; Young, A.; Tetley, T. D. Differential Regulation of Cytokine Release and Leukocyte Migration by Lipopolysaccharide-Stimulated Primary Human Lung Alveolar Type II Epithelial Cells and Macrophages. *J. Immunol.* **2007**, *178*, 463–473.
- (34) Yuan, K.; Yu, B.; Pan, D. Z. E-Beam Lithography Stencil Planning and Optimization with Overlapped Characters. *IEEE T. Comput. Aid. D* **2012**, *31*, 167–179.
- (35) Wieland, M. J.; de Boer, G.; ten Berge, G. F.; van Kervinck, M.; Jager, R.; Peijster, J. J. M.; Slot, E.; Steenbrink, S. W. H. K.; Teepen, T. F.; Kampherbeek, B. J. MAPPER: High Throughput Maskless Lithography. *Proc. SPIE* **2010**, 7637, 76370F.